




Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Facial Seal**

Primary Product Material: **Silicone**

Primary Product Color: **Natural**

Contains Lubricant: **No**

### Features

#### Product Type Features

Connector Seal & Plug Type	Facial Seal
----------------------------	-------------

#### Body Features

Primary Product Material	Silicone
Primary Product Color	Natural

#### Packaging Features

Packaging Quantity	10000
Packaging Method	Bag

#### Other

Contains Lubricant	No
--------------------	----

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts




TE Part # CAT-T4827-CH8172  
Timer Connector Housing


## Also in the Series | Timer Connector System




Automotive Connector Caps & Covers (10)




Automotive Connector Locks & Position Assurance(15)




Automotive Housings(210)




Automotive Terminals(137)




Connector Seals & Cavity Plugs(31)




Crimp Terminal Housings(13)




Insertion & Extraction Tools(18)



Other Automotive Connector Accessories(1)



PCB Headers & Receptacles(77)



Quick Disconnects(4)

## Customers Also Bought



TE Part #CV67236001  
ATUM-24/8-2-40MM




TE Part #8106174002  
TUGA-SBF-NR3-0-SP



TE Part #926472-1  
UNIV.M-N.L.CAP S.C.



TE Part #1-2286946-3  
2POS,HVP800,90 DEG,35 SQMM,COD A



TE Part #1333223-3  
ANVIL, EF .150-.300




TE Part #2150195-2  
OCEAN\_2.0\_Applicator-E-110F140OV



TE Part #2151321-1  
OCEAN\_2.0\_APPLICATION-S-140F190O180F



TE Part #2151559-1  
OCEAN\_2.0\_APPLICATION-S-062F155O



TE Part #3-1333225-4  
ANVIL, COMBINATIONM, SPECIAL



TE Part #5-456406-9  
CRIMPER, WIRE .090 "F"

## Documents

### Product Drawings

[SEALING F/2P 5.8MM TAB HSG](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_963203-1\\_D.3d\\_igs.zip](#)

English

Customer View Model



[ENG\\_CVM\\_963203-1\\_D.3d\\_stp.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_963203-1\\_D.2d\\_dxf.zip](#)

English

**3D PDF**

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.