


TERMI-FOIL | TERMI-FOIL

TE Internal #: 329657 TERMI-FOIL, Splices, Splice, Splice, Copper, Butt Splice, Splice Overall Length .932 in [23.67 mm], Loose Piece, Non-Insulation Support

View on TE.com >

Terminals & Splices > Splices



Splice Product Type: Splice

Terminal & Splice Type: Splice

Sealable: No

Splice Material: Copper

Splice Type: Butt Splice

Features

Product Type Features

Splice Product Type	Splice
Sealable	No
Splice Type	Butt Splice



Serrated	No
Insulated	No
Support Style	Non-Insulation Support
Body Features	
Face	Double
Plating Material	Tin
Splice Material	Copper
Contact Features	
Contact Plating Material	Tin
Terminal & Splice Type	Splice
Termination Features	
Foil Thickness (Max)	.76 mm[.03 in]
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	

329657

TERMI-FOIL, Splices, Splice, Splice, Copper, Butt Splice, Splice Overall Length .932 in [23.67 mm], Loose Piece, Non-Insulation Support



Splice Overall Length	23.67 mm[.932 in]
Usage Conditions	
Insulation Requirement	Uninsulated
Operating Temperature Range	150 °C[302 °F]
Operation/Application	
Heavy Duty	No
Industry Standards	
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	250
Splice Packaging Method	Loose Piece
Other	
Comment	Current carrying capacity equal to 10 AWG [5-6 mm²-]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part


329657

TERMI-FOIL, Splices, Splice, Splice, Copper, Butt Splice, Splice Overall Length .932 in [23.67 mm], Loose Piece, Non-Insulation Support



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | TERMI-FOIL



Customers Also Bought



329657

TERMI-FOIL, Splices, Splice, Splice, Copper, Butt Splice, Splice Overall Length .932 in [23.67 mm], Loose Piece, Non-Insulation Support





Documents

Product Drawings SPLICE, TERMI-FOIL DBL FACE

English

CAD Files Customer View Model

ENG_CVM_329657_E.3d_igs.zip

English

Customer View Model

ENG_CVM_329657_E.3d_stp.zip

English

Customer View Model

ENG_CVM_329657_E.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.