



MODEL 701

GENERAL PURPOSE PROBE

- FDA pre-amendment status
- 700 series nominal resistance response curve
- 6K and 30K thermistor composite
- Interchangeable $\pm 0.15^{\circ}\text{C}$, 25°C to 45°C when used with compatible 700 series instruments
- Pressed disk ceramic sensors
- PVC cable
- 1/4" phone plug connector (3-conductor)

700-series general purpose temperature probe

FEATURES

- Standard 700 series resistance response
- Reuse after cleaning
- 1/4" phone plug connector (3-conductor)

APPLICATIONS

- Continuous patient monitoring
- Esophageal temperature measurement
- Rectal temperature measurement


MODEL 701

General Purpose Probe

PERFORMANCE SPECS

Parameter	Units	Value
Resistance @ 25°C	Ohms	6,000/30,000
Tolerance 25°C to 45°C when used with 700 series instruments	°C	± 0.15
Recommended equilibration time before measurement	Minutes	> 3
Insulation Resistance (500 VAC for 1 Sec.)	Mega Ohms	> 100

MECHANICAL DETAILS



RESISTANCE V TEMPERATURE TABLE (RESISTANCE OF INDIVIDUAL THERMISTORS)

6K Component	
Temp °C	K- Ohms
25	6.000
26	5.744
27	5.499
28	5.267
29	5.046
30	4.836
31	4.633
32	4.441
33	4.260
34	4.084
35	3.919
36	3.762
37	3.610
38	3.466
39	3.328
40	3.197
41	3.069
42	2.949
43	2.835
44	2.726
45	2.621

30K Component	
Temp °C	K- Ohms
25	30.000
26	28.740
27	27.540
28	26.400
29	25.310
30	24.270
31	23.280
32	22.330
33	21.430
34	20.570
35	19.740
36	18.960
37	18.210
38	17.490
39	16.800
40	16.150
41	15.520
42	14.920
43	14.350
44	13.800
45	13.280

MODEL 701

General Purpose Probe

ORDERING INFORMATION

Part Number	Description	Ω @25°C
881300	701 PROBE,THERMILINEAR	6K / 30 K

NORTH AMERICA

Measurement Specialties, Inc.,
a TE Connectivity Company
1711 139th Lane NW
Andover, MN 55304
Tel: +1 763 689 4870
Fax: +1 763 689 5033
Email: customercare.ando@te.com

te.com/sensorsolutions

Measurement Specialties, Inc., a TE Connectivity company.

Measurement Specialties (MEAS), American Sensor Technologies (AST), TE Connectivity, TE Connectivity (logo) and EVERY CONNECTION COUNTS are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2016 TE Connectivity Ltd. family of companies All Rights Reserved.