


**Inflation Valve
& Drain**



Connector



Balloon, Sensor & Drain

MODEL 4464

Sterile Single-Use Foley Catheter, 14 Fr, 5cc Balloon

- FDA cleared under 510(k) K921561
- Sterile single-use probe
- 14 Fr Foley Catheter with integrated temperature sensor
- Radio-opaque locating line
- 3 distinct lumens reduce cross-leakage
- 400 series nominal resistance response curve
- 2252.4 Ohm resistance @ 25°C (including adaptor cable lead wire resistance)
- Interchangeable $\pm 0.1^{\circ}\text{C}$, 25°C to 45°C
- “Molex” style connector
- RoHS Compliant

FEATURES

- Standard 400 series resistance response
- 14 Fr Foley catheter with temperature sensor
- 5 cc Balloon
- Individual Sterile pouch with 3-year shelf life
- 10 probes per box
- “Molex” style connector

APPLICATIONS

- Continuous patient monitoring
- Urine drainage
- Monitor bladder temperature

400-series sterile single-use temperature probe that provides dual function of urine drainage and temperature sensor in a 14 French Foley catheter




MODEL 4464

Sterile Single-Use Foley Catheter, 14 Fr, 5cc Balloon

PERFORMANCE SPECS

Parameter	Units	Value
Resistance @ 25°C (including lead resistance)	Ohms	2252.4
Tolerance 25°C to 45°C	°C	± 0.1
Recommended equilibration time before measurement	Minutes	> 3
Insulation Resistance (500 VAC for 1 Sec.)	Mega Ohms	> 100

MECHANICAL DETAILS



RESISTANCE VS TEMPERATURE TABLE (RESISTANCE OF INDIVIDUAL THERMISTORS)

Temp °C	K Ohms
25	2.2524
26	2.1564
27	2.0644
28	1.9774
29	1.8944

Temp °C	K Ohms
30	1.8154
31	1.7394
32	1.6674
33	1.5994
34	1.5334

Temp °C	K Ohms
35	1.4714
36	1.4124
37	1.3554
38	1.3014
39	1.2494

Temp °C	K Ohms
40	1.2004
41	1.1524
42	1.1074
43	1.0644
44	1.0234
45	0.9842

MODEL 4464

Sterile Single-Use Foley Catheter, 14 Fr, 5cc Balloon

ORDERING INFORMATION

Part Number	Description	Ω @25°C	MOQ
861555	4464 14 Fr Foley Catheter (Box of 10)	2252.4	10 Boxes*

* For quantities less than Minimum Order Quantity – contact distribution

NORTH AMERICA

Measurement Specialties, Inc.,
a TE Connectivity Company
1711 139th Lane NW
Andover, MN 55304
Tel: +1 763 689 4870
Fax: +1 763 689 5033
Email: customercare.ando@te.com

te.com/sensorsolutions

Measurement Specialties, Inc., a TE Connectivity company.

Measurement Specialties (MEAS), American Sensor Technologies (AST), TE Connectivity, TE Connectivity (logo) and EVERY CONNECTION COUNTS are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2016 TE Connectivity Ltd. family of companies All Rights Reserved.