


PART NUMBER	REVISION	DESCRIPTION	FEED TYPE
2150024-1	F	FINE CRIMP HEIGHT ADJUST	MECHANICAL
2150024-2	F	FINE CRIMP HEIGHT ADJUST	PNEUMATIC
7-2150024-1	F	MECHANICAL AND CRIMP TOOLING KIT	MECHANICAL
7-2150024-2	F	PNEUMATIC AND CRIMP TOOLING KIT	PNEUMATIC
7-2150024-7	A	CRIMP TOOLING KIT	-

ATLANTIC VERSION TERMINATOR INTERFACE ADAPTER



APPLICATOR DATA		
CRIMP	SIZE	TYPE
WIRE	1.57 mm [.062]	F
INSUL	2.79 mm [.110]	F
APPLICATOR INSTRUCTIONS 408-35043		

TERMINAL DATA: TE TERMINAL		TE CRIMP SPECIFICATION	
TERMINAL NAME: 110 SERIES FASTON RECEPTACLE			
WIRE STRIP LENGTH	INSULATION DIAMETER RANGE		
3.96-4.75 mm [.156-.187 IN]	∅2.00-3.00 mm [.079-.118 IN]		
TERMINAL APPLICATION SPECIFICATION	114-5084		
TERMINALS APPLIED			
TE TERMINAL	TE TERMINAL	TE TERMINAL	TE TERMINAL
170043-1	170043-2	170043-3	170043-4
170043-5	170043-6	170043-7	1-170043-2
2-170043-4	170056-1	170056-2	170056-3
170056-4			

WIRE SIZE	CRIMP HEIGHT mm [INCH]	CRIMP HEIGHT REFERENCE SETTING
0.50mm2	1.02 +/- 0.05 [.040 +/- .002]	7.4
0.30mm2	0.91 +/- 0.05 [.036 +/- .002]	8.9
0.20mm2	0.84 +/- 0.05 [.033 +/- .002]	9.6

- 1 RECOMMENDED SPARE PARTS
- 2 REFER TO SUPPLIED INSTRUCTION SHEET FOR CLEANING, LUBRICATION AND STORAGE OF APPLICATOR.
- 3 APPLY PART NUMBER 1-23419-5 LOCTITE TO THREADS OF ITEM 180. APPLY PART NUMBER 2-23419-6 LOCTITE TO THREADS OF ITEM 242.
- 4 CRIMP HEIGHT REFERENCE SETTING WAS THE SETTING USED WHEN THE APPLICATOR WAS QUALIFIED AT THE FACTORY. ADJUSTMENT MAY BE NECESSARY WHEN RUNNING APPLICATOR IN THE FIELD.
- 5. UNLESS SPECIFIED OTHERWISE TORQUE VALUES SHALL BE USED PER DOCUMENT, 101-35000.

***WARNING**
 ON INSTALLATION, SET WIRE DISC TO CRIMP HEIGHT REFERENCE SETTING FOR LARGEST WIRE SIZE. CRIMP HEIGHT REFERENCE SETTINGS GREATER THAN THE VALUE SHOWN MAY CAUSE DAMAGE TO THE CRIMP TOOLING, REFER TO THE INSTRUCTION SHEET FOR PROPER SETUP AND ADJUSTMENTS.

ATLANTIC VERSION
 Shown on sheets 1 of 4 & 2 of 4
 (Pacific version shown on sheets 3 of 4 & 4 of 4)


LOC	DIST	REVISIONS					
A	66	P	LTN	DESCRIPTION	DATE	OWN	APVD
		C		ECR-13-014895	23SEP2013	XZ	GB
		D		ECR-15-010490	14JUL2015	YY	GB
		E		ECR-18-017939	15NOV2018	FZ	KZ
		F		ECR-23-167251	23FEB2023	FZ	MZ

-	1	-	1	-	2119641-1	FEED CAM, AIR FEED	248	
-	1	1	1	1	2119082-9	CAM, SNAIL, INSULATION ADJUSTMENT	244	
-	1	1	1	1	2079764-1	WASHER, WAVE SPRING, CREST-TO-CREST	243	
3	-	1	1	1	2119083-1	RETAINER, INSULATION DIAL	242	
-	-	1	-	1	2119580-1	MECHANICAL FEED ASSEMBLY	239	
-	1	-	1	-	2844940-3	AIR FEED MODULE	238	
-	1	1	1	1	1-18028-0	WASHER, FLAT, REG M8	192	
3	-	1	1	1	1752354-7	STANDOFF, HOLD-DOWN	180	
-	1	1	1	1	6-993111-6	PIN, SLOTTED SPRING 3.0 X 14.0	177	
-	1	1	1	1	8-22280-7	SPRING, COMPRESSION	176	
-	1	1	1	1	1752353-2	GUIDE PIN, HOLDDOWN	175	
-	1	1	1	1	1901680-2	GUIDE PIN, HOLDDOWN	174	
-	REF	REF	REF	REF	994970-2	COUNTER, MAGNETIC	164	
-	1	1	1	1	455888-4	SPACER, CRIMPER	82	
-	1	1	1	1	2119791-5	DEPRESSOR, WIRE	73	
-	1	1	1	1	1803607-4	DOCUMENTATION PACKAGE	71	
-	2	2	2	2	2-18032-2	SCR, SET, FLT PNT, M3 X 10.0	70	
-	1	1	1	1	2119943-1	WASHER, SPACER	69	
-	1	1	1	1	2119740-1	TAG, IDENTIFICATION	67	
-	2	2	2	2	2168078-1	SCREW, DRIVE, RH, RoHS, 2 x .188	66	
-	1	1	1	1	1901681-5	HOLDDOWN, TERMINAL	65	
-	2	2	2	2	2168400-8	SHCS, LOW HEAD, RoHS, M4 X 16	64	
-	1	1	1	1	2168083-2	SCR, SKT HD CAP, RoHS, M4 X 8.0	60	
-	1	1	1	1	5-18022-5	SCR, HEX HD CAP, M4 X 6.0	59	
-	-	1	-	1	2063961-1	FEED FINGER	58	
-	3	3	3	3	2168400-4	SHCS, LOW HEAD, RoHS, M4 X 8	57	
-	2	2	2	2	2168083-2	SCR, SKT HD CAP, RoHS, M4 X 8.0	56	
-	2	2	2	2	5018030-1	NUT, HEX, REG, RoHS, M3	54	
-	2	2	2	2	986965-8	NUT, LOCK, HEX, TORQUE (M4)	53	
-	1	1	1	1	1-5018030-0	NUT, HEX, REG, RoHS, M3.5	52	
-	1	-	1	-	2063961-1	FEED FINGER	51	
-	1	2	1	2	18023-9	SCR, SKT HD CAP M4 X 6.0	49	
-	-	1	-	1	2119652-1	FEED CAM, PRE FEED	48	
-	-	1	-	1	2119653-1	FEED CAM, POST FEED	47	
-	1	1	1	1	2119655-5	APPLICATOR BASIC ASSEMBLY, EF	46	
-	1	1	1	1	1803517-1	RAM ASSEMBLY, EF ATLANTIC	44	
-	1	1	1	1	1803602-1	SCR, BHSC, RoHS (M8 X 25)	41	
-	7	7	7	7	1-18028-2	WASHER, FLAT, REG M4	33	
-	2	2	2	2	2168083-9	SCR, SKT HD CAP, RoHS, M4 X 20	31	
-	2	2	2	2	2168083-2	SCR, SKT HD CAP, RoHS, M4 X 8.0	29	
-	1	1	1	1	240639-2	STRIPPER (MACHINING)	27	
-	2	2	2	2	1-2168083-5	SCR, SKT HD CAP, RoHS, M4 X 30	25	
-	1	1	1	1	1752371-1	PLATE, STRIP GUIDE	24	
-	1	1	1	1	240825-4	PLATE, STRIP HOLD DOWN	23	
-	2	2	2	2	2-22281-3	SPRING, COMPRESSION	22	
-	1	1	1	1	1803292-4	DRAG	20	
-	2	2	2	2	1901259-3	GUIDE, LOWER STRIP	18	
-	4	4	4	4	1-2079383-1	SCR, BHSC, RoHS (M6 X 12)	17	
-	1	1	1	1	1752360-1	SPACER, HOLD-DOWN	13	
1	-	1	1	1	240644-1	PLATE, REAR SHEAR	11	
-	-	-	-	-	-	-	10	
1	-	1	1	1	8-690482-6	PLATE, FRONT SHEAR	9	
1	1	2	2	1	1633886-7	ANVIL, COMBINATION	8	
1	-	1	1	1	2217206-4	BLADE, SLUG	7	
-	1	1	1	1	240641-5	SPACER	5	
-	1	1	1	1	238011-4	BLOCK, CRIMPER SPACER	4	
1	1	2	2	1	2119582-2	CRIMPER, INSULATION F PREMIUM	3	
-	1	1	1	1	455888-5	SPACER, CRIMPER	2	
1	1	2	2	1	1-456403-5	CRIMPER, WIRE PREMIUM	1	
-	77	72	71	2	-1	PART NO	DESCRIPTION	ITEM NO

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DRAWING NO		SCALE	
mm	0 PLC ±	1 PLC ±	2 PLC ±	3 PLC ±	4 PLC ±	ANGLES ±	FINISH
MATERIAL				WEIGHT	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. ELBIN	06JUN2012	1
-				-	APVD	DATE	REV
-				-	S. XI	06JUN2012	1
-				-	APVD	DATE	REV
-				-	T. EL		

PART NUMBER	REVISION	DESCRIPTION	FEED TYPE
2-2150024-1	F	FINE CRIMP HEIGHT ADJUST	MECHANICAL
2-2150024-2	F	FINE CRIMP HEIGHT ADJUST	PNEUMATIC
7-2150024-7	A	CRIMP TOOLING KIT	-

PACIFIC VERSION TERMINATOR
 INTERFACE ADAPTER



APPLICATOR DATA

CRIMP	SIZE	TYPE
WIRE	1.57 mm (.062)	F
INSUL	2.79 mm (.110)	F

APPLICATOR INSTRUCTIONS
 408-35043

TERMINAL DATA: TE TERMINAL TE CRIMP SPECIFICATION

TERMINAL NAME: 110 SERIES FASTON RECEPTACLE

WIRE STRIP LENGTH	INSULATION DIAMETER RANGE
3.96-4.75 mm (.156-.187 IN)	∅2.00-3.00 mm (.079-.118 IN)

TERMINAL APPLICATION SPECIFICATION 114-5084

TERMINALS APPLIED

TE TERMINAL	TE TERMINAL	TE TERMINAL	TE TERMINAL
170043-1	170043-2	170043-3	170043-4
170043-5	170043-6	170043-7	1-170043-2
2-170043-4	170056-1	170056-2	170056-3
170056-4			

WIRE SIZE	CRIMP HEIGHT mm [INCH]	CRIMP HEIGHT REFERENCE SETTING
0.50mm2	1.02 +/- 0.05 [.040 +/- .002]	7.4
0.30mm2	0.91 +/- 0.05 [.036 +/- .002]	8.9
0.20mm2	0.84 +/- 0.05 [.033 +/- .002]	9.6



- 1 RECOMMENDED SPARE PARTS
- 2 REFER TO SUPPLIED INSTRUCTION SHEET FOR CLEANING, LUBRICATION AND STORAGE OF APPLICATOR.
- 3 APPLY PART NUMBER 1-23419-5 LOCTITE TO THREADS OF ITEM 180. APPLY PART NUMBER 2-23419-6 LOCTITE TO THREADS OF ITEM 242.
- 4 CRIMP HEIGHT REFERENCE SETTING WAS THE SETTING USED WHEN THE APPLICATOR WAS QUALIFIED AT THE FACTORY. ADJUSTMENT MAY BE NECESSARY WHEN RUNNING APPLICATOR IN THE FIELD.
- 5. UNLESS SPECIFIED OTHERWISE TORQUE VALUES SHALL BE USED PER DOCUMENT, 101-35000.

***WARNING**
 ON INSTALLATION, SET WIRE DISC TO CRIMP HEIGHT REFERENCE SETTING FOR LARGEST WIRE SIZE. CRIMP HEIGHT REFERENCE SETTINGS GREATER THAN THE VALUE SHOWN MAY CAUSE DAMAGE TO THE CRIMP TOOLING, REFER TO THE INSTRUCTION SHEET FOR PROPER SETUP AND ADJUSTMENTS.

PACIFIC VERSION
 Shown on sheets 3 of 4 & 4 of 4
 (Atlantic version shown on sheets 1 of 4 & 2 of 4)


LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	OWN	APVD
A	66	-	-	SEE SHEET 1	-	-	-

-	1	1	2119082-9	CAM, SNAIL, INSULATION ADJUSTMENT	244	
-	1	1	2079764-1	WASHER, WAVE SPRING, CREST-TO-CREST	243	
3	-	1	2119083-1	RETAINER, INSULATION DIAL	242	
-	-	1	2119580-1	MECHANICAL FEED ASSEMBLY	239	
-	1	-	2844940-3	AIR FEED MODULE	238	
-	1	1	1-18028-0	WASHER, FLAT, REG M8	192	
-	4	4	2079383-9	SCR, BHSC, RoHS (M6 X 20)	186	
3	-	1	1752354-7	STANDOFF, HOLD-DOWN	180	
-	1	1	6-993111-6	PIN, SLOTTED SPRING 3.0 X 14.0	177	
-	1	1	8-22280-7	SPRING, COMPRESSION	176	
-	1	1	1752353-2	GUIDE PIN, HOLDDOWN	175	
-	1	1	1901680-2	GUIDE PIN, HOLDDOWN	174	
-	REF	REF	994970-2	COUNTER, MAGNETIC	164	
-	1	-	2119641-2	FEED CAM, AIR FEED	152	
-	1	1	2168083-8	SCR, SKT HD CAP, RoHS, M4 X 16	144	
-	-	1	2119653-2	FEED CAM, POST FEED	142	
-	1	1	2119655-6	APPLICATOR BASIC ASSEMBLY, EF	141	
-	1	1	1803518-1	RAM ASSEMBLY, EF PACIFIC	140	
-	1	1	455888-4	SPACER, CRIMPER	82	
-	1	1	2119791-5	DEPRESSOR, WIRE	73	
-	1	1	1803607-4	DOCUMENTATION PACKAGE	71	
-	2	2	2-18032-2	SCR, SET, FLT PNT, M3 X 10.0	70	
-	1	1	2119740-1	TAG, IDENTIFICATION	67	
-	2	2	2168078-1	SCREW, DRIVE, RH, RoHS, 2 x .188	66	
-	1	1	1901681-5	HOLDDOWN, TERMINAL	65	
-	2	2	2168400-8	SHCS, LOW HEAD, RoHS, M4 X 16	64	
-	1	1	5-18022-5	SCR, HEX HD CAP, M4 X 6.0	59	
-	-	1	2063961-1	FEED FINGER	58	
-	3	3	2168400-4	SHCS, LOW HEAD, RoHS, M4 X 8	57	
-	2	2	2168083-2	SCR, SKT HD CAP, RoHS, M4 X 8.0	56	
-	2	2	5018030-1	NUT, HEX, REG, RoHS, M3	54	
-	2	2	986965-8	NUT, LOCK, HEX, TORQUE (M4)	53	
-	1	1	1-5018030-0	NUT, HEX, REG, RoHS, M3.5	52	
-	1	-	2063961-1	FEED FINGER	51	
-	1	2	18023-9	SCR, SKT HD CAP M4 X 6.0	49	
-	-	1	2119652-1	FEED CAM, PRE FEED	48	
-	1	1	1803602-1	SCR, BHSC, RoHS (M8 X 25)	41	
-	7	7	1-18028-2	WASHER, FLAT, REG M4	33	
-	2	2	2168083-9	SCR, SKT HD CAP, RoHS, M4 X 20	31	
-	2	2	2168083-2	SCR, SKT HD CAP, RoHS, M4 X 8.0	29	
-	1	1	240639-2	STRIPPER (MACHINING)	27	
-	2	2	1-2168083-5	SCR, SKT HD CAP, RoHS, M4 X 30	25	
-	1	1	1752371-1	PLATE, STRIP GUIDE	24	
-	1	1	240825-4	PLATE, STRIP HOLD DOWN	23	
-	2	2	2-22281-3	SPRING, COMPRESSION	22	
-	1	1	1803292-4	DRAG	20	
-	2	2	1901259-3	GUIDE, LOWER STRIP	18	
-	1	1	1752360-1	SPACER, HOLD-DOWN	13	
1	-	1	240644-1	PLATE, REAR SHEAR	11	
-	-	-	-	-	10	
1	-	1	8-690482-6	PLATE, FRONT SHEAR	9	
1	1	1	1633386-7	ANVIL, COMBINATION	8	
1	-	1	2217206-4	BLADE, SLUG	7	
-	1	1	240641-5	SPACER	5	
-	1	1	238011-4	BLOCK, CRIMPER SPACER	4	
1	1	1	2119582-2	CRIMPER, INSULATION F PREMIUM	3	
-	1	1	455888-5	SPACER, CRIMPER	2	
1	1	1	1-456403-5	CRIMPER, WIRE PREMIUM	1	
-	77	22	21	PART NO	DESCRIPTION	ITEM NO

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		MATERIAL:	
mm	0 PLC ±	1 PLC ±	2 PLC ±	3 PLC ±	4 PLC ±
	ANGLES	FINISH			


OWN: X. ZHAO	06JUN2012	TE Connectivity Harrisburg, PA 17105-3608
CHK: T. ELBIN	06JUN2012	
APVD: S. XI	06JUN2012	
NAME:		
PRODUCT SPEC:		Customer Accessible Production Drawing
APPLICATION SPEC:		SCALE: 1:1
SIZE:	A1	SHEET 3 OF 4
CAGE CODE:	00779	REV: F
DRAWING NO:	2150024	

LOC		DIST		REVISIONS			
A	66	P	LTM	DESCRIPTION	DATE	OWN	APVD
		-		SEE SHEET 1			




RAM AND HOLDDOWN SET-UP



FEED TYPE
MECHANICAL




PNEUMATIC



FEED SPRING
SETTING POSITION



CAM POSITIONS



PACIFIC VERSION
 Shown on sheets 3 of 4 & 4 of 4
 (Atlantic version shown on sheets 1 of 4 & 2 of 4)

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		OWN: X. ZHAO 06JUN2012		TE Connectivity	
mm		0 PLC ±		CHK: T. ELBIN 06JUN2012		Harrisburg, PA 17105-3608	
Ø		1 PLC ±		APVD: S. XI 06JUN2012		NAME: Ocean End Feed Applicator	
MATERIAL:		2 PLC ±		PRODUCT SPEC:		SIZE: CAGE CODE: DRAWING NO: RESTRICTED TO:	
		3 PLC ±		APPLICATION SPEC:		A 00779 ©=2150024	
		4 PLC ±		WEIGHT:		SCALE: 1:1 SHEET 4 OF 4 REV F	
		ANGLES ±		Customer Accessible Production Drawing		SHEETS 1 & 2 ARE NOT REQUIRED FOR PACIFIC VERSION	
		FINISH:					