
THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION REVISIONS BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED. A 66 C) COPYRIGHT 20 DESCRIPTION DATE DWN APVD ATLANTIC VERSION TERMINATOR INTERFACE ADAPTER A RELEASED 030CT2017 | TB | CT PART FEED TYPE DESCRIPTION REVISION NUMBER B ECR-20-003102 03MAR2020 FZ TE C | ECR-23-188348 27SEP2023 ROY JAH FINE CRIMP HEIGHT ADJUST MECHANICAL 2836858-1 2836858-2 FINE CRIMP HEIGHT ADJUST PNEUMATIC MECHANICAL AND CRIMP 7 - 2836858 -MECHANICAL TOOLING KIT PNEUMATIC AND CRIMP 7 - 2836858 - 2 PNEUMATIC TOOLING KIT 7 - 2836858 - 7 CRIMP TOOLING KIT APPLICATOR DATA TYPE CRIMP SIZE WIRE | 4.06 mm [.160] [NSUL | 5.33 mm [.210] APPLICATOR INSTRUCTIONS 408-35042 TERMINAL DATA: TE TERMINAL TE CRIMP SPECIFICATION ERMINAL DATA: TE TERMINAL TE CRIMP SPECIFICATION TERMINAL NAME: AMP MCP 2.8K FLAT TYPE RECEPTACLE TERMINAL NAME: STANDARD POWER TIMER CONTACT WIRE STRIP LENGTH WIRE STRIP LENGTH INSULATION DIAMETER RANGE INSULATION DIAMETER RANGE 2119641-1 FEED CAM, AIR FEED .171-.186 IN [4.34-4.72 mm] 2119082-9 CAM, SNAIL, INSULATION ADJUSTMENT \emptyset .120-.125 IN [3.05-3.18 mm] .20-5.80 mm [.205-.228 IN] \emptyset 4.00-5.20 mm [.157-.205 [N] 2079764-1 |WASHER, WAVE SPRING, CREST-TO-CREST||243 ERMINAL TERMINAL (B)NONE (A)114-18037 APPLICATION APPLICATION 🕌 2119083-RETAINER, INSULATION DIAL SPECIFICATION SPECIFICATION 241 7 - 18023 - 1 SCR, SKT HD CAP M3 X 4.0 2119580-MECHANICAL FEED ASSEMBLY TERMINALS APPLIED TERMINALS APPLIED 2844940-AIR FEED MODULE TE TERMINAL TE TERMINAL TE TERMINAL TE TERMINAL 164 TE TERMINAL TE TERMINAL TE TERMINAL TE TERMINAL |REF|REF|REF|REF 994970-2 COUNTER, MAGNETIC (B) 963709-1 (B) 963709-2 (B) 963709-3 (B) 963709-4 99 (A) 963709-1 (A) 963709-2 (A) 963709-3 (A) 963709-4 2844908-SCREW, LOCKING (B) 963709-5 (A) 963709-5 98 2844907-1 POST, LOCKING SPACER. CRIMPER · | 1 | 1 | 1 | 1 455888-4 1803607-3 | DOCUMENTATION PACKAGE CRIMP HEIGHT mm [INCH] 2119740-1 TAG, IDENTIFICATION CRIMP HEIGHT T CRIMP HEIGHT 2168078-1 SCREW, DRIVE, RH, ROHS, 2 x .188 66 mm [INCH] REFERENCE SETTING REFERENCE SETTING 2168083-2 SCR, SKT HD CAP, RoHS, M4 X 8.0 6.00mm2 2.55+/-0.05 [.100+/-.002] 2 x 2.50 mm2 2.26+/-0.05 [.089+/-.002] 59 5-18022-5 SCR, HEX HD CAP, M4 X 6.0 - | 1 | 1 | 1 | 1 | 5.00mm2 2.36+/-0.05 [.093+/-.002] 8.6 - | 1 | 1 | 1 | 1 | 1 338685-1 |PAWL, FEED 2.17+/-0.05 [.085+/-.002] 4.00mm2 10.4 2168083-3 SCR, SKT HD CAP, RoHS, M4 X 12.0 2 2 2 2 1 2 1 - 2168083 - 0 SCR, SKT HD CAP, RoHS, M4 X 10 1803382-2 HOLD DOWN, SPRING LOADED 50 SCR, SKT HD CAP M4 X 6.0 49 18023-9 48 FEED CAM, PRE FEED - | 1 | - | 1 | 2119652-1 4 7 2119653-1 FEED CAM, POST FEED | 1 | - | 1 | 1 RECOMMENDED SPARE PARTS APPLICATOR BASIC ASSEMBLY, SF 46 1803583-9 $\angle 2$ refer to supplied instruction sheet for cleaning, lubrication and 44 1803515-1 RAM ASSEMBLY, SF ATLANTIC STORAGE OF APPLICATOR. 41 SCR, BHSC, RoHS (M8 X 25) 1803602-1 3 $\sqrt{3}$ APPLY PART NUMBER 2-23419-6 LOCTITE TO THREADS OF ITEM 242. · | 1 | 1 | 1 | 1 | 1 -1752356-5 |SUPPORT, TERMINAL 2079383-5 SCR, BHSC, RoHS (M4 X 20) CRIMP HEIGHT REFERENCE SETTING WAS THE SETTING USED WHEN THE APPLICATOR WAS QUALIFIED AT THE FACTORY. ADJUSTMENT MAY BE 2 2 2 2 2 3-2844962-3 SPACER, CYLINDRICAL, STRIP GUIDE NECESSARY WHEN RUNNING APPLICATOR IN THE FIELD. 2844992-2 ASSEMBLY, STRIP GUIDE 1 - 455888 - 0 ISPACER. CRIMPER 5. UNLESS SPECIFIED OTHERWISE TORQUE VALUES SHALL BE USED PER STRIP GUIDE 1320928-2 DOCUMENT, 101-35000. 2168083-2 SCR, SKT HD CAP, RoHS, M4 X 8.0 THIS CRIMP PARAMETER IS PROVIDED TO MEET A CUSTOM AND UNIQUE CUSTOMER REQUIREMENT. 1 - 18028 - 2 | WASHER, FLAT, REG M4 IT HAS BEEN EVALUATED AND IS CONDITIONALLY SPECIFIED BY TE CONNECTIVITY. THIS 2119533-1 STRIPPER, SIDE FEED 19 CUSTOMIZED CRIMP PARAMETER IS NOT LISTED AS AN APPROVED APPLICATION WITHIN A TE CONNECTIVITY APPLICATION SPECIFICATION; HOWEVER, IT HAS BEEN VALIDATED ACCORDING TO - | 1 | 1 | 1 | 1 | 2119806-1 linsert. Shear TF CONNECTIVITY SPECIFICATIONS 109-18079(TEST GROUP 1) AND 114-18022. TE CONNECTIVITY 3-22280-3 SPRING, COMPRESSION EXPRESSLY DISCLAIMS ANY AND ALL WARRANTIES THAT THE PRODUCT WILL PERFORM SIMILARLY TO VALIDATED AND APPROVED APPLICATIONS, AS STATED WITHIN TE CONNECTIVITY APPLICATION 1 - 356885 - 4 STOP, SHEAR SPECIFICATIONS, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY OR *WARNING 2119805-1 SHEAR HOLDER, FRONT 10 FITNESS FOR PARTICULAR PURPOSE. AS SUCH, IT IS HIGHLY RECOMMENDED THAT THE CUSTOMER 454276-5 IFLOATING SHEAR. FRONT PERFORM FURTHER DETAILED EVALUATION TO ASSESS PRODUCT PERFORMANCE IN THE SPECIFIC ON INSTALLATION, SET WIRE DISC TO CRIMP HEIGHT REFERENCE SETTING APPLICATION. 1333211-2 ANVIL, COMBINATION .150-.300 FOR LARGEST WIRE SIZE. CRIMP HEIGHT REFERENCE SETTINGS GREATER -THAN THE VALUE SHOWN MAY CAUSE DAMAGE TO THE CRIMP TOOLING, REFER TO THE INSTRUCTION SHEET FOR PROPER SETUP AND ADJUSTMENTS. 1 | 1 | 1 | 1 | 1-2119757-2 | DEPRESSOR, SHEAR 2-238011-1 BLOCK, CRIMPER SPACER 1 | 2 | 2 | 1 | 1 | 3-2119785-2 | CRIMPER, INSULATION OVERLAP PREMIUM: 455888-4 SPACER, CRIMPER 456414-9 CRIMPER, WIRE ITEM 77|-72|-71| -2 | -1 | PART NO DESCRIPTION NO THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION. T.BROOKENS 30JUNE2017 TE Connectivity
Harrisburg, PA 17105-3608 .KNEPPER TOLERANCES UNLESS OTHERWISE SPECIFIED: 30JUNE2017 NAME ATLANTIC VERSION Ocean Side Feed Applicator Shown on sheets 1 of 4 & 2 of 4 APPLICATION SPEC SIZE CAGE CODE DRAWING NO RESTRICTED TO (Pacific version shown on sheets 3 of 4 & 4 of 4) | 00779 | C = 2836858 SCALE 1:2 SHEET 1 OF 4 REV C stomer Accessible Production Drawing AMP 4805 REV 31MAR2000 SHEETS 3 & 4 ARE NOT REQUIRED FOR ATLANTIC VERSION



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20	6 5 3	LOC DIST	REVISIONS	
C COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED. PART NUMBER REVISION DESCRIPTION FEED TYPE	PACIFIC VERSION TERMINATOR INTERFACE ADAPTER	A 66 -	P LTR DESCRIPTION DATE [DWN APVD
2-2836858-1 C FINE CRIMP HEIGHT ADJUST MECHANICAL 2-2836858-2 C FINE CRIMP HEIGHT ADJUST PNEUMATIC				
7-2836858-7 A CRIMP TOOLING KIT -				
D				D
APPLICATOR DATA CRIMP SIZE TYPE WIRE 4.06 mm [.160] F				
INSUL 5.33 mm [.210] OV APPLICATOR INSTRUCTIONS 408-35042				
	TERMINAL DATA: TE TERMINAL TE CRIMP SPECIFICATION TERMINAL NAME: AMP MCP 2.8K FLAT TYPE RECEPTACLE			
WIRE STRIP LENGTH INSULATION DIAMETER RANGE 5.20-5.80 mm [.205228 IN]	WIRE STRIP LENGTH INSULATION DIAMETER RANGE .171186 IN [4.34-4.72 mm] Ø.120125 IN [3.05-3.18 mm]		119082-9 CAM, SNAIL, INSULATION ADJUSTMENT 079764-1 WASHER, WAVE SPRING, CREST-TO-CREST	
SPECIFICATION	TERMINAL (B)NONE 6 APPLICATION SPECIFICATION	- 1 1 7 -	119083-1 RETAINER, INSULATION DIAL -18023-7 SCR, SKT HD CAP M3 X 4.0 119580-1 MECHANICAL FEED ASSEMBLY	242 241 239
TERMINALS APPLIED TE TERMINAL	TERMINALS APPLIED TE TERMINAL	- 1 - 28 - REF REF 9	844940-1 AIR FEED MODULE 994970-2 COUNTER, MAGNETIC 119641-2 FEED CAM, AIR FEED	238 164 151
(A) 963709-5	(B) 963709-5 (B) 303703 (B) 303703 4	- 1 1 21 - 4 4 21	168083-8 SCR, SKT HD CAP, RoHS, M4 X 16 168083-9 SCR, SKT HD CAP, RoHS, M4 X 20 119653-2 FEED CAM, POST FEED	1 4 4
WIRE CRIMP HEIGHT CRIMP HEIGHT ASIZE Mmm [INCH]	WIRE SIZE CRIMP HEIGHT CRIMP HEIGHT A REFERENCE SETTING	- 1 1 1 - 1 - 1 1 1 8	1803583-0 APPLICATOR BASIC ASSEMBLY, SF 803516-1 RAM ASSEMBLY, SF PACIFIC 844908-1 SCREW, LOCKING	141
6.00mm2	2 x 2.50 mm2	- 1 1 28 - 1 1 4	844907-1 POST, LOCKING 455888-4 SPACER, CRIMPER 803607-3 DOCUMENTATION PACKAGE	98 82
		- 1 1 21 - 2 2 21	119740-1 TAG, IDENTIFICATION 168078-1 SCREW, DRIVE, RH, RoHS, 2 x .188 -18022-5 SCR, HEX HD CAP, M4 X 6.0	67
		- 1 1 13 - 2 2 1-2	338685-1 PAWL, FEED 2168083-0 SCR, SKT HD CAP, RoHS, M4 X 10 803382-2 HOLD DOWN, SPRING LOADED	56 53
		- 1 2 1 - - 1 21	18023-9 SCR, SKT HD CAP M4 X 6.0 119652-1 FEED CAM, PRE FEED 803602-1 SCR, BHSC, RoHS (M8 X 25)	49
B REFER TO SUPPLIED INSTRUCTION SHEET FOR CLEANING, LUBRICATION A STORAGE OF APPLICATOR.	N D	- 1 1 1 1-1 - 2 2 20	1752356-5 SUPPORT, TERMINAL 079383-5 SCR, BHSC, RoHS (M4 X 20) 2844962-3 SPACER, CYLINDRICAL, STRIP GUIDE	34 33 33
APPLY PART NUMBER 2-23419-6 LOCTITE TO THREADS OF ITEM 242.		- 1 1 28 - 1 1 1 - 3	844992-2 ASSEMBLY, STRIP GUIDE -455888-0 SPACER, CRIMPER	29
 CRIMP HEIGHT REFERENCE SETTING WAS THE SETTING USED WHEN THE APPLICATOR WAS QUALIFIED AT THE FACTORY. ADJUSTMENT MAY BE NECESSARY WHEN RUNNING APPLICATOR IN THE FIELD. UNLESS SPECIFIED OTHERWISE TORQUE VALUES SHALL BE USED PER 		- 1 1 21 - 2 2 1-	320928-2 STRIP GUIDE 168083-2 SCR, SKT HD CAP, RoHS, M4 X 8.0 -18028-2 WASHER, FLAT, REG M4	21
DOCUMENT, 101-35000. 6 THIS CRIMP PARAMETER IS PROVIDED TO MEET A CUSTOM AND UNIQUE CUSTOM.		1 - 1 1 21 - 1 1 3-	119533-1 STRIPPER, SIDE FEED 119806-1 INSERT, SHEAR -22280-3 SPRING, COMPRESSION	13
IT HAS BEEN EVALUATED AND IS CONDITIONALLY SPECIFIED BY TE CONNECTIVITY APPLICATION SPECIFICATION; HOWEVER, IT HAS BEEN VALUE ON THE CONNECTIVITY SPECIFICATIONS 109-18079(TEST GROUP 1) AND 114-1	ION WITHIN A TE *WARNING IDATED ACCORDING TO 8022. TE CONNECTIVITY ON INSTALLATION, SET WIRE DISC TO CRIMP HEIGHT REFERENCE SETTING	1 - 1 1 21 1 - 1 1 4	-356885-4 STOP, SHEAR 119805-1 SHEAR HOLDER, FRONT 454276-5 FLOATING SHEAR, FRONT	10
EXPRESSLY DISCLAIMS ANY AND ALL WARRANTIES THAT THE PRODUCT WILL PERFOR VALIDATED AND APPROVED APPLICATIONS, AS STATED WITHIN TE CONNECTIVITY APPLICATIONS, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHAIN FITNESS FOR PARTICULAR PURPOSE. AS SUCH, IT IS HIGHLY RECOMMENDED TO PERFORM FURTHER DETAILED EVALUATION TO ASSESS PRODUCT PERFORMANCE.	THAN THE VALUE SHOWN MAY CAUSE DAMAGE TO THE CRIMP TOOLING		333211-2 ANVIL, COMBINATION .150300	7 6
APPLICATION.	IN THE STEETITE TO THE INSTITUTE ON SHEET TON THOTEN SETON AND AND SOSTIVENTS.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2119757-2 DEPRESSOR, SHEAR -238011-1 BLOCK, CRIMPER SPACER 2119785-2 CRIMPER, INSULATION OVERLAP PREMIUM	5 4 UM 3
A		1 1 1 4	455888-4 SPACER, CRIMPER 456414-9 CRIMPER, WIRE ART NO DESCRIPTION	1 1 ITEM A
		DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION TO BE CONTACTED FOR THE LATEST REVISION. DIMENSIONS: TOLERANCES UNLESS OTHERWISE SPECIFIED: APVD APVD	30 JUNE 2017 OOKENS PPER TE Connectivity Harrisburg, PA 17105-3608	NO
	PACIFIC VERSION Shown on sheets 3 of 4 & 4 of 4	OTHERWISE SPECIFIED: OPLC ±- I PLC ±- 2 PLC ±- 3 PLC ±- APPLICATION	Applicator TON SPEC -	DECTRICATES TO
	(Atlantic version shown on sheets 1 of 4 & 2 of 4)		size CAGE CODE DRAWING NO RES	RESTRICTED TO - REV C
AMP 4805 REV 31MAR2000			SHEETS 1 & 2 ARE NOT REQUIRED FOR PACIFIC VE	√ERSION

