B. V.

# PRODUCT SPECIFICATION FOR AMP-EDGE LOW PROFILE CONNECTORS

(Standard programme .100, .156)

# 1. Scope :

This document specifies general requirements for multi-contact connector assemblies for use with printed wiring boards. The assembly provides a connection between conventional— and printed—wiring or serves as board to board connector. They are disigned to accept printed wiring boards, nominal thickness 1,6 mm (1,45 min., 1,83 max.)

### 2. Applicable Documents:

2.1. The following documents form a part of this specification to the extent indicated here in :

- QQ-B-750

Phosphor bronze

- IEC Pub. 512

Test methods

- IEC Pub. 68

Test methods

- QQ-N-290

rest methods

- MIL-G-45204

Nickel electro-deposited

Gold electro-deposited

# 3. <u>Performance Ratings</u>:

- 3.1. -Current carrying capacity: 3 Amperes maximum per contact at 20°C Ambient Temperature.
  - Temperature range -55°C to +125°C.

-	-	-	-	LOC.	SIZE		AMP-HO	DLLAND	B.V.
8	REDRAWN	C.F.S.	12-07-89	H	A 4	AMP	The Ne	togenb	oscn, ands.
A	CHANGED	G.V.A	26-11-82	1	DATE	NAME PRODUCT SPECIFICATION			
0	RELEASED	G.V.A		I 4		FOR AMP	LOW		
REV.		DR.	DATE	CHK.	DATE 12-07-89	PROFILE	CONNEC	TORS.	
LTTR.					712-07-89	DWG. No.		SHEET	REV.
REVISION RECORD			RD	APP. L.V.SOEST	DATE -	108-19041 1 0 9		В	

THIS INFORMATION IS CONFIDENTIAL AND DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN AMP PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM AMP-HOLLAND RESEARCH			>
INIS INFURMATION IS CONFIDENTIAL AND DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN AMP PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM AMP-HOLLAND			α
INIS INFURMATION IS CONFIDENTIAL AND DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN AMP PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM AMP-HOLI			ONA
THIS INFORMATION IS CONFIDENTIAL AND DISCLOSES CONDITION THAT NO FURTHER DISCLOSURE TO MADE BY THAN AMP PERSONNEL WITHOUT WRITTEN AUTHORIZATION	O TO YOU ON	YOU TO OTHER	FROM AMP-HO!
CONDITION THAT NO FURTHER DISCLOSURE 15 MY THAN AMP PERSONNEL WITHOUT WRITTEN AUTHOR!	SCLOSE	NDE BY	ZATION
INIS INFORMATION IS CONFIDENTIAL AND CONDITION THAT NO FURTHER DISCLOSURE THAN AMP PERSONNEL WITHOUT WRITTEN		M CL	AUTHORI
THIS INFORMATION IS CONFID CONDITION THAT NO FURTHER THAN AMP PERSONNEL WITHOUT	ENTIAL AND	DISCLOSURE	WRITTEN
THIS INFORMATION I CONDITION THAT NO THAN AMP PERSONNEL	S CONFID	FURTHER	WI THOUT
CONDITION THAN AMP	KMATION	I THAT NO	PERSONNEL
	THIS INC	CONDITION	THAN AMP

3.2 Test requirements and procedures summary.			
Testdescription	Requirements	Procedure	
Examination of the product	Meets require- ments of drawing	Dimensional and visual	
	ELECTRIAL	<u> </u>	
Insulation resistance	1000 MΩ min.	Test voltage 500 volt. The resistance shall be measured between adjacent and opposite contacts and between mounting hardware and any contact.  I.E.C. Pub. 512 test no. 3a method B.	
High Voltage proof	<u>Pitch Up eff</u> .100 650 .156 1800	The test voltage shall be gradually increased at a rate of approx. 500 Volt per second until the voltage is reached.  I.E.C. Pub. 512 test no. 4A.	
Contact resistance	12 mΩ mαx.	Measuring points according figure 2.  IEC Pub. 512 test no. 2A	
	MECHAN I CAL		
Vibration	No discontin- uity greater than 1 μ sec.	Method IEC 68-2-6 Procedure B4 10-500 Hz 0,35 mm - 5 g 20 contacts monitored at 2,5 V max 100 mA dc	
Physical shock	No discontin- uity greater than 1 μ sec. No physical damage	Half sine wave form, 30 g, 11 ms, 6 mutually perpendicular axes IEC Pub. 512 test no. 60	

AMP

AMP-HOLLAND B.V. 's-Hertogenbosch, The Netherlands.

NAME PRODUCT SPECIFICATION
FOR AMP-EDGE LOW
PROFILE CONNECTORS.

DWG. No.

SHEET

108-19041

2 of 9

В

		>
		5
		4
	۵	2
N	뿌	Ī
5	10	9
DISCLOSED TO YOU ON	0	4
0	F	2
F	20	EP
03	7	7
050	BY	0
5	ш	AT
S	Ā	7
٥	Σ	OR
	0	E
0	ш	A
¥	3	z
_	S	TE
Z	겅	
Z	IS	£
띰	0	_
F	ER	5
Š	Ε	Ξ
	5	3
5	-	ب
×	ž	K
Ξ	1	ğ
₹	È	å
会	_	P
Ĕ	õ	đ
THIS INFORMATION IS CONFIDENTIAL AND	E	THAN AMP PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM AMP-HOLL AND R V
15	è	Ş
Ξ	Š	Ì
	CONDITION THAT NO FURTHER DISCLOSURE 13 MADE BY YOU TO OTHER	

Testdescription	Requirements	Procedure		
Individual engaging and separating force	3,7 N max. engaging force 0,25 N min. separating force	Engaging force, maximum thickness gauge .072 inch (1,83 mm) Separating force, minimum thickness gauge .057 inch (1,45 mm) The dimensions of the gauge are shown in figure 3.		
Insertion and withdrawal force	Max. 4 N times numbers of positions Min. 0,25 N times number of positions	Ins. force measured with max. gauge. Withdrawal force measured with min. gauge. The steelgauge shall be comform the drawing of figure 4.		
Durability	No mechanical damage or deterioration of contacts and housing	the rate of insertion and extraction cycling shall not exceed 15 operations/min.  Speed 10 mm/s.  Plating Cycles  0,4 µM gold 20  0,8 µM gold 50  The steel gauge shall be conform the drawing of figure 4.		
Contact force	Minimum 100 g per contact	The force of a contact must be measured at a deflection of a printed circuit board of 1,45 mm (.057").		
Rapid change of temperature	No evidence of physical damage	5 cycles, 30 min.,  Specimen mated: -55°C to 125°C  Recovery time: 1h IEC Pub.  512 test no.11 D  Method IEC 68-8-14 TEST Na  -55°C - +125°C  t1 = 30 min.  Connector in mated condition.		

AMP

AMP-HOLLAND B.V. s-Hertogenbosch, The Netherlands.

NAME PRODUCT SPECIFICATION FOR AMP-EDGE LOW PROFILE CONNECTORS.

DWG. No.

SHEET

REV.

108-19041

3 of 9

В

Testdescription	Requirements	Procedure
Humidity	Insulation resistance 10 <sup>8</sup> ohm min.	Humidity test according I.E.C. Pub. 512 test 11 C. (90-95% R.H. at 40°C for 21 days).
Corrosion,	Contact Resistance 12 mΩ max.	Connectors mated with test boards 24 hr at 25°C relative humidity 75%, 50 <sub>2</sub> concentration 10 p.p.m.

#### 4. Test Conditions:

Unless otherwise stated here in, tests and examinations required by this specification shall be made under any combination of conditions within the range below:

Temperature: 15°C to 35°C
Relative humidity: 45 to 75 percent
Barometric pressure: 860 - 1060 mbar
(650 to 800 mm Hg)

#### 4.1. Test Samples :

- 4.1.1. Printed wiring test boards -Printed wiring test boards used, shall be in accordance with fig. 1.
- 4.1.2. Connector receptacles -The connector receptacles must be conform the applicable product drawings.
- 4.1.3. Total steel gauges -The total steel gauges shall be conform the drawing of figure 4.
- 4.1.4. Individual steel gauge -The individual steel gauge shall be conform the drawing of figure 3.

AMP

AMP-HOLLAND B.V. 's-Hertogenbosch, The Netherlands.

NAME PRODUCT SPECIFICATION FOR AMP-EDGE LOW PROFILE CONNECTORS.

DWG. No.

SHEET REV.

108-19041

4 of 9

В

Test or examination	I	II	111	IV
Examination of product	×	x	X	Х
Contact resistance	X	X	X	X
Insulation resistance	X	X	X	X
High voltage proof	X	X	X	X
Contact engaging and separating force	X	X	X	X
Insertion and withdrawal forces		X		
Durability		X		
Insertion and withdrawal forces		X		
Contact resistance		X		
Corrosion		X		
Contact resistance		X		
Temperature cycling			X	
Vibration			X	
Shock			X	
Contact resistance			X	
Insertion and withdrawal forces			X	
Humidity				X
Contact resistance				X
Insulation resistance				X
High voltage proof				X
Examination of product	X	X	X	X

AMP

AMP-HOLLAND B.V. 's-Hertogenbosch, The Netherlands.

NAME PRODUCT SPECIFICATION
FOR AMP-EDGE LOW
PROFILE CONNECTORS.

DWG. No.

SHEET

REV.

108-19041

5 of 9






FIGURE I.

2.500 min. -

2. A: equal to min. cardslot length of the connector

B : equal to pitch of connector

AMP

AMP-HOLLAND B.V. 's-Hertogenbosch, The Netherlands.

.032 max. \_

NAME PRODUCT SPECIFICATION FOR AMP-EDGE LOW PROFILE CONNECTORS.

DWG. No.

SHEET

108-19041


6 of 9

В

REV.

THIS INFORMATION IS CONFIDENTIAL AND I ISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN AMP PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM AMP-HOLLAND B.V.

# FIGURE 2



Note 1: P.C.B. according to fig. 1

AMP

AMP-HOLLAND B.V. s-Hertogenbosch, The Netherlands.

NAME PRODUCT SPECIFICATION
FOR AMP-EDGE LOW
PROFILE CONNECTORS.

DWG. No.


SHEET


108-19041

7 of 9

В

#### FIGURE 3





#### NOTES :

- 1. Only the Working Surface designated 4 shall be finished.
- 2. Tolerances: ±.005 unless shown otherwise.
- 3. Material: Hardened Tool Steel Rockwell "C" 50-55.
- 4. Tolerance: ±.0001.



AMP-HOLLAND B.V. s-Hertogenbosch, The Netherlands.

PRODUCT SPECIFICATION FOR AMP-EDGE LOW PROFILE CONNECTORS.


DWG. No.

108-19041

SHEET

8 of 9

В




Entire Surface 4 microinches (both sides) to .375 from end (see note 1)

#### NOTES:

- 1. Only the Working Surface designated 4 shall be finished.
- 2. .002 T.I.R. Warpage permitted for .067 R Typ. full length "A"
- 3. Tolerances ±.005 unless shown otherwise.
- 4. Material: Hardened Tool Steel Rockwell "C" 50-55.
- 5. TOLERANCE: ±.0001.
- 6. A: equal to min. cardslot length of connector.
  - B: Maximum P.C.B. thickness .072

Min. thickness P.C.B. .057

Nominale P.C.B. thickness .062





AMP-HOLLAND B.V. s-Hertogenbosch, The Netherlands.

NAME PRODUCT SPECIFICATION FOR AMP-EDGE LOW PROFILE CONNECTORS.

DWG. No.

SHEET

9 of 9

108-19041

В