

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -


ALL RIGHTS RESERVED.

LOC GS


DIST -

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	5	CHANGED PER REQUEST	23OCT2013	OL	SZ



THIS PRINT IS
PRELIMINARY
 UNQUALIFIED PRODUCT
 CONTACT PRODUCT ENGINEERING
 BEFORE USING THIS PRINT



1. MATERIAL:
 PIN CONTACT: COPPER ALLOY
 SCREW AND FLAT WASHER: STEEL
 CONICAL WASHER: SPRING STEEL

2. FINISH:
 CONTACT SILVER PLATE OVER NICKEL PLATE
 SCREW: NICKEL PLATED
 CONICAL AND FLAT WASHER: NICKEL PLATED

3. PCB
 RECOMMENDED PCB HOLE AFTER PLATING:
 6.30±0.05, THICKNESS UP TO 4.5MM

AS SHOWN	1892847-1
DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ORANDO LI 18AUG2013	STE TE Connectivity	
DIMENSIONS: MM		CHK		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME CONTACT, PIN DESIGNED FOR 3.6MM DIA	
0 PLC ±-		PRODUCT SPEC 108-***	SIZE A3	
1 PLC ±.5		APPLICATION SPEC 114-***	CAGE CODE -	DRAWING NO C-1892847
2 PLC ±.30		WEIGHT -	RESTRICTED TO -	
3 PLC ±-		Customer Drawing	SCALE 4	SHEET 1 OF 1
4 PLC ±-				REV 5
ANGLES ±5				
MATERIAL -				
FINISH -				