



Max current: 20A

ELECTRICAL

• Rated Voltage: 600V AC

MECHANICAL

• Wire Size: 18-12AWG

· Configurations: Wire-to-wire

MATERIALS

Housing

Polycarbonate

• UL94 V-0

• GWT 750°C

• UL764C F1

• IPX7

Contact

• Tin plated, copper alloy

PRODUCT COMPLIANCE CERTIFICATION

• UL486C

COMPACT SEAL SPLICE

RELIABLE PROTECTION AGAINST OUTDOOR CONDITIONS

Compact seal splice creates a robust wire-to-wire connection and helps protect the connection against harsh environments, including water and UV exposure. The splice features an ergonomic design with an insulation displacement contact (IDC) that provides an easy installation process. The transparent housing helps allow for visual confirmation of mating status, while color coded connectors reduce the risk of mismating. The compact seal splice also delivers design flexibility and safety, with a small size that can be installed in confined spaces and flame-resistant materials that meet UL 94 V-O and glow wire test (GWT*) standards. This product is an excellent solution for harsh environment applications, including air conditioning, outdoor lighting, and indoor wet environments.

FEATURES

- Insulation displacement contact (IDC) provides more efficient installation
- IPX7 water proofing protects against wet environment
- Compact size supports use in small spaces
- UV F1 protection helps improve material lifetime by reducing UV degradation
- Transparent housing provides visible mating to help prevent half-mating
- Color coding indicates compatible wire size to help reduce mis-mating
- Flame resistant materials meet UL 94 V-0 and glow wire test (GWT*) safety standards
- Ergonomic design provides easier handling

ADDITIONAL INFORMATION

• Product Specification: 108-106569

• Application Specification: 114-106569

• Instruction Sheet: 408-106569

• <u>Product Page</u>

APPLICATIONS



Air Conditioning
Unit



Lighting



Indoor Wet Environment




^{*}GWT refers to glow wire testing. For more information on glow wire testing please review the white paper <u>Glow Wire Testing for the Appliance Industry</u> or visit the <u>Glow Wire Capable Connectors product page</u>

PART LIST

Part Number	Part Description
2378100-1	Compact Seal Splice 12/14AWG, Seal, Red
2378100-2	Compact Seal Splice 14/16AWG,Seal, Orange
2378100-3	Compact Seal Splice 16/18AWG,Seal, Blue

APPLICATION TOOLING

Part Number	Part Description
2403668-1	Hand tool for Compact Seal Splice









Connect With Us

We make it easy to connect with our experts and are ready to provide all the support you need. Visit **te.com/support** to chat with a Product Information Specialist.

te.com/compact-seal-splice

TE Connectivity, TE, TE connectivity (logo) and EVERY CONNECTION COUNTS are trademarks owned or licensed by the TE Connectivity plc family of companies. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any changes to the information contained herein without prior notice. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect, or consequential damages arising out of the sale, resale, use, or misapplication of the product. TE expressly disclaims any implied warranties with respect to the information contained herein, including, but not limited to, implied warranties of merchantability or fitness for a particular purpose. Dimensions, specifications and/or information contained herein are for reference purposes only and are subject to change without notice. Consult TE for the latest dimensions, specifications and/or information. Users of TE Connectivity products must make their own assessment as to whether the respective product is suitable for the respective desired application.

© 2025 TE Connectivity. All Rights Reserved.

Published 08-25

