

GLOW WIRE TEST COMPLIANT ECONOMY POWER II (EP II) CONNECTORS

TE Connectivity (TE) offers Economy Power II (EP II) Glow Wire connectors in many different styles and configurations to meet safety and environmental requirements requested by the home appliances industry. Several connector housing and header styles and configurations are available in Glow Wire compatible material that also meets UL 94 V-0 requirements. The use of Glow Wire test compliant components may allow users to reduce the time and expense of end-product testing associated with Glow Wire ignition and Glow Wire flammability index.

ELECTRICAL

- Voltage rating: 600 VAC
- Current rating: 11 A

MECHANICAL

- Position: 2 to 12 single row wire-to-board
- Wire size: 0.3 to 1.4 mm² (22 to 16 AWG)
- Centerline: 0.156" (3.96 mm)
- Operating temperature: -55 to 105°C
- Selectively loaded headers available upon request

MATERIALS

- Glow Wire products compliant to GWEPT 750°C per IEC 60335-1 and UL 94 V-0
- Contacts: Tin plated copper alloy

STANDARDS

- Product specification: [108-2297](#)
- Application specification: [114-13265](#)
- UL recognized: E28476
- VDE recognized: 40046032

KEY FEATURES

- 0.156" centerline (3.96mm)
- Lance-less terminal
- Wire size: 0.3 to 1.4 mm² (22 to 16 AWG)
- Voltage up to 600 VAC
- Current up to 11 A
- Housing locking latch
- Polarization tabs
- Asymmetrical terminals can only be loaded one way
- Breakaway style or discrete Terminal Position Assurance (TPA) devices
- Probe tip windows for continuity testing
- Contact lubrication
- Parts molded in various colors are available upon request
- Glow Wire products compliant to GWEPT 750°C per IEC 60335-1 and UL 94 V-0

APPLICATIONS



Household appliances



HVAC



Industrial machinery

GLOW WIRE TEST COMPLIANT ECONOMY POWER II (EP II) CONNECTORS

PART NUMBERS

Description	Header Assembly PN	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9	Pin 10	Pin 11
2P Unshrouded Header Full Pin GWT	2375239-2	O	O									
3P Unshrouded Header Full Pin GWT	2375239-3	O	O	O								
4P Unshrouded Header Full Pin GWT	2375239-4	O	O	O	O							
5P Unshrouded Header Full Pin GWT	2375239-5	O	O	O	O	O						
6P Unshrouded Header Full Pin GWT	2375239-6	O	O	O	O	O	O					
7P Unshrouded Header Full Pin GWT	2375239-7	O	O	O	O	O	O	O				
8P Unshrouded Header Full Pin GWT	2375239-8	O	O	O	O	O	O	O	O			
9P Unshrouded Header Full Pin GWT	2375239-9	O	O	O	O	O	O	O	O	O		
10P Unshrouded Header Full Pin GWT	1-2375239-0	O	O	O	O	O	O	O	O	O	O	
11P Unshrouded Header Full Pin GWT	1-2375239-1	O	O	O	O	O	O	O	O	O	O	O
3P Unshrouded Header Sel Pin GWT	2375269-2	O	X	O								
5P Unshrouded Header Sel Pin GWT	2375269-3	O	X	O	X	O						
6P Unshrouded Header Sel Pin GWT	1-2375269-6	O	X	O	O	X	O					
7P Unshrouded Header Sel Pin GWT	2375269-4	O	X	O	X	O	X	O				
9P Unshrouded Header Sel Pin GWT	2375269-5	O	X	O	X	O	X	O	X	O		
11P Unshrouded Header Sel Pin GWT	2375269-6	O	X	O	X	O	X	O	X	O	X	O
2P Unshrouded Header Full Pin Non GWT	2375267-2	O	O									
3P Unshrouded Header Full Pin Non GWT	2375267-3	O	O	O								
4P Unshrouded Header Full Pin Non GWT	2375267-4	O	O	O	O							
5P Unshrouded Header Full Pin Non GWT	2375267-5	O	O	O	O	O						
6P Unshrouded Header Full Pin Non GWT	2375267-6	O	O	O	O	O	O					
7P Unshrouded Header Full Pin Non GWT	2375267-7	O	O	O	O	O	O	O				
8P Unshrouded Header Full Pin Non GWT.	2375267-8	O	O	O	O	O	O	O	O			
9P Unshrouded Header Full Pin Non GWT	2375267-9	O	O	O	O	O	O	O	O	O		
10P Unshrouded Header Full Pin Non GWT	1-2375267-0	O	O	O	O	O	O	O	O	O	O	
11P Unshrouded Header Full Pin Non GWT	1-2375267-1	O	O	O	O	O	O	O	O	O	O	O
3P Unshrouded Header Sel Pin Non GWT	2375268-2	O	X	O								
5P Unshrouded Header Sel Pin Non GWT	2375268-3	O	X	O	X	O						
7P Unshrouded Header Sel Pin Non GWT	2375268-4	O	X	O	X	O	X	O				
9P Unshrouded Header Sel Pin Non GWT	2375268-5	O	X	O	X	O	X	O	X	O		
11P Unshrouded Header Sel Pin Non GWT	2375268-6	O	X	O	X	O	X	O	X	O	X	O
2P Unshrouded Header Full Pin GWT, Boss	2384269-2	O	O									
3P Unshrouded Header Full Pin GWT, Boss	2384269-3	O	O	O								
4P Unshrouded Header Full Pin GWT, Boss	2384269-4	O	O	O	O							
5P Unshrouded Header Full Pin GWT, Boss	2384269-5	O	O	O	O	O						
6P Unshrouded Header Full Pin GWT, Boss	2384269-6	O	O	O	O	O	O					
7P Unshrouded Header Full Pin GWT, Boss	2384269-7	O	O	O	O	O	O	O				
8P Unshrouded Header Full Pin GWT, Boss	2384269-8	O	O	O	O	O	O	O	O			
9P Unshrouded Header Full Pin GWT, Boss	2384269-9	O	O	O	O	O	O	O	O	O		
10P Unshrouded Header Full Pin GWT, Boss	1-2384269-0	O	O	O	O	O	O	O	O	O	O	
11P Unshrouded Header Full Pin GWT, Boss	1-2384269-1	O	O	O	O	O	O	O	O	O	O	O

GLOW WIRE TEST COMPLIANT ECONOMY POWER II (EP II) CONNECTORS

Description	Header Assembly PN	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9	Pin 10	Pin 11
3P Unshrouded Header Sel Pin GWT, Boss	2384271-2	O	X	O								
5P Unshrouded Header Sel Pin GWT, Boss	2384271-3	O	X	O	X	O						
7P Unshrouded Header Sel Pin GWT, Boss	2384271-4	O	X	O	X	O	X	O				
9P Unshrouded Header Sel Pin GWT, Boss	2384271-5	O	X	O	X	O	X	O	X	O		
11P Unshrouded Header Sel Pin GWT, Boss	2384271-6	O	X	O	X	O	X	O	X	O	X	O
2P Unshrouded Header Full Pin Non GWT, Boss	2384273-2	O	O									
3P Unshrouded Header Full Pin Non GWT, Boss	2384273-3	O	O	O								
4P Unshrouded Header Full Pin Non GWT, Boss	2384273-4	O	O	O	O							
5P Unshrouded Header Full Pin Non GWT, Boss	2384273-5	O	O	O	O	O						
6P Unshrouded Header Full Pin Non GWT, Boss	2384273-6	O	O	O	O	O	O					
7P Unshrouded Header Full Pin Non GWT, Boss	2384273-7	O	O	O	O	O	O	O				
8P Unshrouded Header Full Pin Non GWT, Boss	2384273-8	O	O	O	O	O	O	O	O			
9P Unshrouded Header Full Pin Non GWT, Boss	2384273-9	O	O	O	O	O	O	O	O	O		
10P Unshrouded Header Full Pin Non GWT, Boss	1-2384273-0	O	O	O	O	O	O	O	O	O	O	
11P Unshrouded Header Full Pin Non GWT, Boss	1-2384273-1	O	O	O	O	O	O	O	O	O	O	O
3P Unshrouded Header Sel Pin Non GWT, Boss	2384274-2	O	X	O								
5P Unshrouded Header Sel Pin Non GWT, Boss	2384274-3	O	X	O	X	O						
7P Unshrouded Header Sel Pin Non GWT, Boss	2384274-4	O	X	O	X	O	X	O				
9P Unshrouded Header Sel Pin Non GWT, Boss	2384274-5	O	X	O	X	O	X	O	X	O		
11P Unshrouded Hdr Sel Pin Non GWT, Boss	2384274-6	O	X	O	X	O	X	O	X	O	X	O

Description	Potted Header Assembly PN	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8
EP 3.96 potted Header Assy 2P	2367724-2	O	O						
EP 3.96 potted Header Assy 3P	2367724-3	O	O	O					
EP 3.96 potted Header Assy 4P	2367724-4	O	O	O	O				
EP 3.96 potted Header Assy 5P	2367724-5	O	O	O	O	O			
EP 3.96 potted Header Assy 6P	2367724-6	O	O	O	O	O	O		
EP 3.96 potted Header Assy 7P	2367724-7	O	O	O	O	O	O	O	
EP 3.96 potted Header Assy 8P	2367724-8	O	O	O	O	O	O	O	O
EP 3.96 potted Header Assy 3P Sel	1-2375553-3	O	X	O					
EP 3.96 potted Header Assy 5P Sel	1-2375553-5	O	X	O	X	O			
EP 3.96 potted Header Assy 7P Sel	1-2375553-7	O	X	O	X	O	X	O	
EP 3.96 potted Header Assy 2P, without boss	2374787-2	O	O						
EP 3.96 potted Header Assy 3P, without boss	2374787-3	O	O	O					
EP 3.96 potted Header Assy 4P, without boss	2374787-4	O	O	O	O				
EP 3.96 potted Header Assy 5P, without boss	2374787-5	O	O	O	O	O			
EP 3.96 potted Header Assy 6P, without boss	2374787-6	O	O	O	O	O	O		
EP 3.96 potted Header Assy 7P, without boss	2374787-7	O	O	O	O	O	O	O	
EP 3.96 potted Header Assy 8P, without boss	2374787-8	O	O	O	O	O	O	O	O
EP 3.96 potted Header Assy 3P, Sel w/out boss	1-2375558-3	O	X	O					
EP 3.96 potted Header Assy 5P, Sel w/out boss	1-2375558-5	O	X	O	X	O			
EP 3.96 potted Header Assy 7P, Sel w/out boss	1-2375558-7	O	X	O	X	O	X	O	


O: with pin contact X: without pin contact

GLOW WIRE TEST COMPLIANT ECONOMY POWER II (EP II) CONNECTORS

Description	Plug & Contact P/N	2P	3P	4P	5P	6P	7P	8P	9P	10P	11P	12P
EP II plug housing, GWT	*-2371377-*	-2	-3	-4	-5	-6	-7	-8	-9	1--0	1--1	1--2
EP II plug housing NON-GWT	*-2377130-*	-2	-3	-4	-5	-6	-7	-8	-9	1--0	1--1	1--2
EP II 3.96 TPA, UL V0, GWT,	*-2132782-*	-	-	-	-	-	-	-	-	-	-	1--2
EP II 3.96 TPA, UL V0, GWT, 0.156 pitch	*-1744544-*	-2	-3	-4	-5	-6	-7	-8	-9	1--0	1--1	

TERMINAL & TOOLING


Description	Part Number	Wire Size	Applicator Part Number
Lanceless contact	2377991-1	22-18	4151450-1 4151450-2
Lanceless contact	2377997-1	18-16	4151451-1 4151451-2




TPA




Socket Contact



Potted Header Assembly



Plug Housing



Unshrouded Header Assembly

FOR MORE INFORMATION

ASK OUR EXPERT ▶

[te.com/Glow wire test compliant economy power II \(EP II\) connectors](https://te.com/Glow-wire-test-compliant-economy-power-II-(EP-II)-connectors)

TE, TE Connectivity and TE connectivity (logo) are trademarks owned or licensed by the TE Connectivity plc. family of companies. Other product names, logos, and company names mentioned herein may be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any changes to the information contained herein without prior notice. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect, or consequential damages arising out of the sale, resale, use, or misapplication of the product. TE expressly disclaims any implied warranties with respect to the information contained herein, including, but not limited to, implied warranties of merchantability or fitness for a particular purpose. Dimensions, specifications and/or information contained herein are for reference purposes only and are subject to change without notice. Consult TE for the latest dimensions, specifications and/or information. Users of TE Connectivity products must make their own assessment as to whether the respective product is suitable for the respective desired application.

© 2026 TE Connectivity. All Rights Reserved.

Published 01-26