


# HIGH TEMPERATURE FASTON HOUSINGS

TE Connectivity (TE) FASTON terminals and connectors have been the industry leader in the appliance and automotive industries for years. TE continues to reinvent the FASTON product line to meet the changing trends in these industries. We have seen the need for housings with higher temperature ratings as well as for flag housings that fully enclose the terminal designed to meet these applications. These products come with the same strong engineering support and high quality that TE has provided for over 50 years.

## HIGH TEMPERATURE HOUSINGS FOR STRAIGHT FASTON TERMINALS


### [1969632-1](#) .250 HIGH TEMPERATURE FASTON HOUSING

- 200°C LCP material, black color
- Can be used with low insertion force nickel steel terminal [1742198-1](#) (.250 x .032 [6.35 x 0.81])




### [2-480435-2](#) .187 HIGH TEMPERATURE FASTON HOUSING

- V-0 150°C Nylon material, white color
- Can be used with low insertion force nickel steel terminals [1742841-1](#) (.187 x .020 [4.75 x 0.51]) or [1742883-1](#) (.187 x .032 [4.75x0.81])



### [2-480435-3](#) .187 HIGH TEMPERATURE FASTON HOUSING

- 200°C LCP material, black color
- Can be used with low insertion force nickel steel terminals [1742841-1](#) (.187 x .020 [4.75 x 0.51]) or [1742883-1](#) (.187 x .032 [4.75x0.81])




# HIGH TEMPERATURE FASTON HOUSINGS

## HIGH TEMPERATURE, FULLY ENCLOSED, FLAG FASTON HOUSINGS


### [1969507-2](#) .250 FASTON FLAG HOUSING

- V-0 150°C Nylon material, white color
- Prevents the tab from mating between the back of the terminal and the plastic
- With latch cover closed, provides an ergonomic flat surface to aid with insertion
- Can be used with all .250 x .032 [6.35 x 0.81] Tab-Lok flag terminals, low insertion force nickel steel terminal ([1742543-1](#)), Hermetic terminals and F-crimp terminal [1742999-1](#)
- Designed for broad range of wire gauges and 2 wire applications




### [1969656-1](#) .250 FASTON FLAG HOUSING, LEFT HAND

- V-0 150°C Nylon material, white color
- Can be used with F-crimp flag terminal [63009-1](#) (.250 x 0.32 [6.35 x 0.81])
- Designed for use with top entry, tab mated relay applications



### [1969657-1](#) .250 FASTON FLAG HOUSING, RIGHT HAND

- V-0 150°C Nylon material, black color
- Can be used with F-crimp flag terminal [63010-1](#) (.250 x .032 [6.35 x 0.81])
- Designed for use with top entry, tab mated relay applications



## TE TECHNICAL SUPPORT CENTER

USA:	+1 (800) 522-6752
Canada:	+1 (905) 475-6222
Mexico:	+52 (0) 55-1106-0800
Latin/S. America:	+54 (0) 11-4733-2200
Germany:	+49 (0) 6251-133-1999
UK:	+44 (0) 800-267666
France:	+33 (0) 1-3420-8686
Netherlands:	+31 (0) 73-6246-999
China:	+86 (0) 400-820-6015

## Connect With Us

We make it easy to connect with our experts and are ready to provide all the support you need.

Visit [te.com/support](https://te.com/support) to chat with a Product Information Specialist.

## te.com/faston

TE Connectivity, TE, TE connectivity (logo), FASTON and EVERY CONNECTION COUNTS are trademarks owned or licensed by the TE Connectivity plc family of companies. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any changes to the information contained herein without prior notice. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect, or consequential damages arising out of the sale, resale, use, or misapplication of the product. TE expressly disclaims any implied warranties with respect to the information contained herein, including, but not limited to, implied warranties of merchantability or fitness for a particular purpose. Dimensions, specifications and/or information contained herein are for reference purposes only and are subject to change without notice. Consult TE for the latest dimensions, specifications and/or information. Users of TE Connectivity products must make their own assessment as to whether the respective product is suitable for the respective desired application.

©2025 TE Connectivity. All Rights Reserved.

Published 08-25