



## BATTERY HOLDER OVERVIEW GUIDE

---

Surface and through-hole mount battery holders are a smart choice for cost-sensitive, space-constrained applications involving computers, remote controls and other compact electronics. They provide solid electrical contact for CR1216, CR1225, CR2016, CR2025 and CR2032 lithium coin and button cells. Their nickel-plated phosphor bronze construction provides good conductivity and strength. Two metal arms secure the battery to the contact patch.

---

## BATTERY HOLDER

Holder Family	Batteries	Mounts	Dimensions	Packaging	Part Numbers
 BAT-HLD-001	CR2032, CR2025	Surface	15.5 x 22.9 x 4.2 mm	Bulk	BAT-HLD-001
				Tape & Reel	BAT-HLD-001-TR
 BAT-HLD-001-THM	CR2032, CR2025	Through-hole	15.5 x 21.1 x 4.22 mm	Bulk	BAT-HLD-001-THM
				Tape & Reel	BAT-HLD-001-THM-TR
 BAT-HLD-002-SMT	CR2016	Surface	15.5 x 22.9 x 2.8 mm	Bulk	BAT-HLD-002-SMT
				Tape & Reel	BAT-HLD-002-SMT-TR
 BAT-HLD-002-THM	CR2016	Through-hole	15.5 x 21.1 x 2.8 mm	Bulk	BAT-HLD-002-THM
				Tape & Reel	BAT-HLD-002-THM-TR
 BAT-HLD-012-SMT	CR2016	Surface	15.3 x 9.5 x 3.6 mm	Bulk	BAT-HLD-012-SMT
				Tape & Reel	BAT-HLD-012-SMT-TR
 BAT-HLD-012-THM	CR2016	Through-hole	13.5 x 9.5 x 3.6 mm	Bulk	BAT-HLD-012-THM
				Tape & Reel	BAT-HLD-012-THM-TR

---

## TE TECHNICAL SUPPORT CENTER

USA:	+1 (800) 522-6752
Canada:	+1 (905) 475-6222
Mexico:	+52 (0) 55-1106-0800
Latin/S. America:	+54 (0) 11-4733-2200
Germany:	+49 (0) 6251-133-1999
UK:	+44 (0) 800-267666
France:	+33 (0) 1-3420-8686
Netherlands:	+31 (0) 73-6246-999
China:	+86 (0) 400-820-6015

## te.com

TE Connectivity, TE, TE connectivity (logo), Linx and Linx Technologies are trademarks owned or licensed by the TE Connectivity Ltd. family of companies. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

TE Connectivity warrants to the original end user customer of its products that its products are free from defects in material and workmanship. Subject to conditions and limitations TE Connectivity will, at its option, either repair or replace any part of its products that prove defective because of improper workmanship or materials. This limited warranty is in force for the useful lifetime of the original end product into which the TE Connectivity product is installed. Useful lifetime of the original end product may vary but is not warranted to exceed one (1) year from the original date of the end product purchase.

©2023 TE Connectivity. All Rights Reserved.

11/23 Original