| - | WinTotal - C:\ProgramData\WinTotal\Data_v7\WinTotal Demo.wdfx — 🛛 | | | | | x I |
|---------------------------|--|-------|---|---------|-------|----------|
| Quick Access Controls | Quick Access Controls Product Data Entry Print Style - Information - | | | | | |
| As + Pr | Add Change oduct Product Data Quick Access | Print | ed Manual System Double Print Setup Sided View • | | | |
| Selected Product Template | Tune | Lines | Font | Printer | Color | T |
| → ZHD-SCE 032-50 | Type TE-Layout | 1 | 12 pt. Arial | T3212 | White | |
| < | TE-Eayout | a | 12 pu Alla | 13212 | write | > |
| | | | | | | |
| Item | 2 | 1 | 23 24 | | | Quantity |
| | V | VinTo | otal v7 | | • | |
| 2 | | E | Зу | | • | 1 |
| 3 | TE | Con | nectivity | | • | 1 |
| T3212 - c\prns\t3212.prn | | | | | CAP N | UM SCRL |

WINTOTAL SOFTWARE Label/Marker Design Package

Technical Datasheet

TTDS-001 Revision 14 - July 2019

WinTotal is a label/marker design package that makes wire marker printing simple in an industrial environment. Running in the familiar Windows environment, WinTotal v7 has over 2500 standard TE Connectivity (TE) Identification products pre-installed. This makes the creation and printing of Identification sleeves, cable markers & labels a quick and simple task. Using the advanced editor, it is also possible to create complex layouts that relate to active data fields, giving a true What You See is What You Get (WYSIWYG) representation.

The WinTotal v7 dialogs have been simplified to enhance the user experience and improve productivity by enabling quicker database loading and product selection.

WinTotal features a highly graphical user interface. It is designed to improve efficiency, simplify operator training and minimize errors.

PAGE 1




Key Features

- Multi-lingual user interface
- Pre-loaded WYSIWYG templates
- · Clipart gallery with commonly used symbols
- Counters Increment/Decrement alpha and numeric fields
- Accepts and prints data in any language Unicode data support
- Multiple Label Design Objects: Text, lines, boxes, circles and images
- Double sided marker printing with WYSIWYG display
- Live database view in fields
- Extensive Barcode and 2D barcode support, including DOD UID
- All standard image files and elements supported (PNG, JPG, BMP)
- True print preview
- Advanced label design elements and tools: Text boxes, rich text formatting, auto/variable font size, auto/ variable label length for TMS Continuous Tubing
- Multiple Printers/Printing: Full MAPP (Multiple Application Port Printing). Able to drive multiple printers

System Requirements

- Windows 10, (32bit or 64bit); Windows Server 2012
- IBM compatible PC 1GHz or higher 32bit (x86) or 64bit (x64) processor

WinTotal v7 will run in Windows OS 8.1, 8, 7 (32 or 64 bit) & Windows Server 2008 but TE cannot guarantee future compatibility.



Supported Languages

- Dutch
- English
- French
- German
- Italian
- Japanese
- Korean
- Norwegian
- Portuguese (Brazil)
- Russian
- Simplified Chinese
- Spanish
- Turkish




CLASS 1 DATA CLASSIFICATION - SEE POLICY TEC-02-04




| ayouts | | | | | |
|--|--------|--------------|------------|----------------|--|
| Туре | 🐨 Size | ▼ Derivative | v ^ | Color: White | |
| D-CT | 2.4 | | | | |
| D-CT D-CT D-CT D-CT D-CT D-CT | 3.2 | | | | |
| D-CT | 4.8 | | | | |
| D-CT | 6.4 | | | | |
| D-CT | 9.5 | | | | |
| D-CT | 12 | | | | |
| D-CT | 18 | | | | |
| D-CT | 25 | | | | |
| D-CT | 38.1 | | | | |
| D-SCE | 2.4 | -50 | | | |
| D-SCE | 2.4 | -50-S1 | | | |
| D-SCE | 2.4 | -50-52 | | Auto Size | |
| D-SCE D-SCE | 2.4 | -50-S2C150 | | None 🗸 | |
| D-SCE | 2.4 | -50-53 | | | |
| D-SCE | 3.2 | -50 | | Double Sided | |
| D-SCE D-SCE D-SCE | 3.2 | -50-51 | | | |
| D-SCE | 3.2 | -50-S2 | | Auto Numbering | |
| D-SCE | 3.2 | -50-52C150 | | | |
| D-SCE | 3.2 | -50-53 | | | |
| D-SCE | 4.8 | -50 | | | |
| D-SCF | 4.8 | -50-51 | ~ | | |

Add Product displays all supported products and is fully filterable. Users can select products and create favourite list.



Advanced print allows total control of product files. This enables the user to customise their filters to use all the available file attributes, for example: File Name, Product, Number of lines, Height, Width, Colour, etc.



Any True Type font installed on the user's PC can be selected at Add Product.

| Database Connection Setup - 52col | | |
|--|---|--|
| Microsoft Excel Workbook | | |
| Supports all versions of Excel (supported files types: *-: | ib) Get latest driver from Microsoft for other file types | |
| Microsoft Access Database | .mdb) Get latest driver from Microsoft for other file types | |
| Microsoft SQL Server Database | e | |
| MySOL Database | | |
| Warning: The ODBC Driver for this type is missing on I | this system. Please install to enable this source type. | |
| SQLite 3 Database | | |
| Warning: The ODBC Driver for this type is missing on I | this system. Please install to enable this source type. | |
| ODBC Data Source | | |
| Supports all ODBC 32-bit Data Sources. | | |
| File C:\XMT\XLS\52 Col_TEST.xls | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

The database wizard simplifies the connection to spreadsheets and databases enabling the easy import of data into TE products.

| Const dama Controls Const dama Controls Here Open Sam support Second Product | Winfald - Cr/Anguerd Bel/Winfald Data, IntWinfald Betwareds Peaker Stategy not Peaker Stategy not Peaker Stategy not Peaker Stategy Not Peak Stategy Detries Peaker State | - O X Syle - Internation - Q. O, 2008 2008 | Vinitati - Schupsenbadzullen Vinitati - Schupsenbadzullen | 29/2 - Infanctions Advanced Names System Science Refer Price Supp Science Code III III | What / ChapterMatch (add/back) | |
|---|--|---|--|---|------------------------------------|--|
| Template | Type Lines Poet | Printer T | Template Type | Lines Point Printer | Template Type Lines Freet. Printer | T Template Type Lines Font Printer T |
| + HT-028 1/4-02-2.8 < | To Layout 3 Ept. Adul | 783134 | + CM-S05-TP-V2-4H TE-Leyev.t < | 5 TEpt And Nortow TR3134 | | + UD SAMUE - W730500 753134 MY Annabut - Formation 753134 |
| 200 | | Quantity | 200 | Quantity | 2nn Qu | Quanty Iten Quanty |
| | A1 A2 A3 B1 B2 B3 C1 C2 C3 | | MILI | CE-TP 1/2-4H ARY GRADE | PL-PANEL LABEL HIGH DURABLE | UID TEST DATA JULY 2019 SERIAL NUMBER: A\$\$\$\$\$.000 Construct |
| 2 | A4 A5 A6 B4 B5 B6 C4 C5 C6 | • | CAB | | COMPRESSIBLE FOAM ADHESIVE | ML 150 H (150 Pary 54 |
| 3 THIN - Oper/Discove | A7 A8 A9 B7 B8 B9 C7 C8 C9 | | 111126. <i>i.i.peril</i> 1173 pre | | 11114 - convertinition (69 1006 | |

Ordering Information

| Ordering Description | | |
|-----------------------------|-------------|--|
| WINTOTAL-7-DONGLE | 1-2186545-1 | |
| WINTOTAL-7-END-USER-LICENCE | 1-2186546-1 | |
| | | |

PAGE 3

CLASS 1 DATA CLASSIFICATION - SEE POLICY TEC-02-04

TTDS-001 - WINTOTAL TECHNICAL DATA SHEET - REVISION 14



WinTotal is also available as a Printer/Software bundle. Order the latest TE printer and get the full version of WinTotal.

Printer Information

Print quality and print performance can only be guaranteed when specific TE printer and ribbons are used.

The current list of printers and ribbons can be found in TE document 411-121005 'Identification Printer Product Ribbon Matrix'. This document can be found in 'Access Our Tools':

http://www.te.com/usa-en/utilities/access-product-toolsand-resources.html

| Ordering Description | |
|----------------------|-------------|
| T3212-SWARE-PRINTER | 1-2186501-1 |
| T3224-SWARE-PRINTER | 1-2186503-1 |
| T2212-SWARE-PRINTER | 1-2186528-1 |

It is the intent of TE to support WinTotal for the complete lifecycle of the version. The lifecycle begins when the product is released and ends when support for the host Operating System (as defined in the System Requirements) is ended by Microsoft. Up to this date TE will provide software updates to fix faults and update functionality. Beyond the end of support date TE will continue to provide verbal and e-mail advice to users but TE will no longer provide fixes or updates and the software registration site will be locked for requests beyond the allocated registration allowance.

WINTOTAL software is available to download for a 14 day evaluation period from the Identification Printer Software page:

http://www.te.com/wintotal or direct download: http://www.te.com/wintotal-download

Contact a TE representative for further information.



www.te.com/wintotal

TE Connectivity, TE Connectivity (logo), Every Connection Counts and WinTotal are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2019 TE Connectivity Ltd. family of companies All Rights Reserved.

PAGE 4

