TE Internal #: 1-292372-5

PCB Mount Header, Vertical, Wire-to-Board, 15 Position, 1.5 mm [. 059 in] Centerline, Fully Shrouded, Tin (Sn), Surface Mount, Signal,

Beige

View on TE.com >




#### Connectors > PCB Connectors > PCB Headers & Receptacles











PCB Connector Type: PCB Mount Header

PCB Mount Orientation: Vertical
Connector System: Wire-to-Board

Number of Positions: 15

Centerline (Pitch): 1.5 mm [ .059 in ]

## **Features**

### Product Type Features

PCB Connector Type	PCB Mount Header
Connector System	Wire-to-Board
Header Type	Fully Shrouded
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Connector Product Type	Connector Assembly
Configuration Features	
PCB Mount Orientation	Vertical
Number of Positions	15
Number of Rows	1
Electrical Characteristics	
Operating Voltage	50 VDC

Beige

**Body Features** 

Primary Product Color



#### **Contact Features**

Contact Underplating Material	Nickel
Contact Underplating Material Thickness	.8 – 2 μm[31.49 – 78.74 μin]
Mating Square Post Dimension	.5 mm[.02 in]
Contact Shape & Form	Square
Contact Layout	Inline
Contact Base Material	Brass
Contact Mating Area Plating Material	Tin (Sn)
Contact Mating Area Plating Material Finish	Matte
Contact Mating Area Plating Material Thickness	1 μm[39.37 μin]
Contact Type	Pin
Contact Current Rating (Max)	2 A

#### **Termination Features**

Square Termination Post & Tail Dimension	.5 mm[.02 in]
Termination Method to PCB	Surface Mount

### Mechanical Attachment

Mating Alignment Type	Polarization
PCB Mount Alignment	Without
Mating Retention	With
PCB Mount Retention	Without
Connector Mounting Type	Board Mount
Mating Alignment	With

## **Housing Features**

Centerline (Pitch)	1.5 mm[.059 in]
Housing Material	6T PA GF

## **Dimensions**

Connector Width	4.7 mm[.185 in]
Connector Height	6.9 mm[.271 in]
Connector Length	25 mm[.984 in]

## **Usage Conditions**

Operating Temperature Range	-30 - 105 °C[-22 - 221 °F]

## Operation/Application



Circuit Application	Signal
Industry Standards	
Compatible With Agency/Standards Products	CSA, UL
Compatible With Approved Standards Products	CSA LR7189, UL E28476
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Tape & Reel

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Reflow solder capable to 245°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**





# Customers Also Bought














GOLD,PIN



TE Part #1-1969694-4
PTL 1X4 PCB HEADER R/A HITEMP
KEY A LGR







## **Documents**

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-292372-5\_O.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-292372-5\_O.3d\_igs.zip

English

PCB Mount Header, Vertical, Wire-to-Board, 15 Position, 1.5 mm [.059 in] Centerline, Fully Shrouded, Tin (Sn), Surface Mount, Signal, Beige



**Customer View Model** 

ENG\_CVM\_CVM\_1-292372-5\_O.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

Workmanship Specification

English

**Agency Approvals** 

UL

English