



Energy & Power > Power Cable Accessories > Power Cable Terminations



Product Availability: Community of Independent States

Installation Instruction: Russian

Installation Technology: Heat Shrink

Voltage Class: ≤ 12 kV

Cable Shield Style: Copper Wire

Features

Product Type Features

Installation Technology	Heat Shrink
Cable Shield Style	Copper Wire
Termination Length	1200 mm
Power Component Options	Mechanical Lug Included (M12, Conductor)

Configuration Features

Number of Cores	3
-----------------	---

Electrical Characteristics

Voltage Class	≤ 12 kV
---------------	---------

Body Features

Insulation Material	Polymeric
---------------------	-----------

Dimensions

Compatible Cable Cross-Section Range	240 – 400 mm²
--------------------------------------	---------------

Operation/Application

Power Component Application Type	Outdoor
----------------------------------	---------

Industry Standards

Compatible With Approved Standards Products	GOST 13781.0.86,UHL 1, HD CENELEC 629.1, IEC 60502-4
---	--

Product Availability



Product Availability	Community of Independent States
Other	
Installation Instruction	Russian

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUN 2016 (169) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Also in the Series | RAYCHEM POLT



Power Cable Terminations(290)

Customers Also Bought



TE Part #A69078-064
POLJ-12/3X70-150



TE Part #E92435-063
POLT-12D/3XIH1



TE Part #CAT-RSTI
Screened Separable Connectors 1250
A



TE Part #555340-070
RICS-5123




TE Part #A31452-070
GUST-12/70-120/800-L12



TE Part #D11309-070
POLJ-12/3X25-70



TE Part #C47372-064
GUST-12/25-50/800



TE Part #EN6028-000
HDA-33M-B3-NFF



TE Part #CN5946-000
EN-CGAT-6/2-0-1200

Documents

Product Drawings
POLT-12E/3XOH4-L12

English

Datasheets & Catalog Pages
POLT-3CORE-TERMINATION-PLASTIC-CABLES