




Energy & Power > Power Cable Accessories > Power Cable Terminations



Product Availability: South & Eastern Europe

Installation Instruction: Macedonian

Installation Technology: Heat Shrink

Voltage Class: ≤ 24 kV

Cable Shield Style: Copper Wire

Features

Product Type Features

Installation Technology	Heat Shrink
Cable Shield Style	Copper Wire
Power Component Options	Mechanical Lug Included (M16, Conductor)

Configuration Features

Number of Cores	1
-----------------	---

Electrical Characteristics

Voltage Class	≤ 24 kV
---------------	---------

Body Features

Insulation Material	Polymeric
---------------------	-----------

Dimensions

Compatible Cable Cross-Section Range	70 – 150 mm ²
--------------------------------------	--------------------------

Operation/Application

Power Component Application Type	Indoor
----------------------------------	--------

Industry Standards

Compatible With Approved Standards Products	GOST 13781.0.86,UHL 1, HD CENELEC 629.1, IEC 60502-4
---	--

Product Availability

--	--



Product Availability	South & Eastern Europe
Other	
Installation Instruction	Macedonian

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (1.5% in 74023549) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CJ0364-070
POLT-24D/1XI-ML-4-13



TE Part # CL0718-015
POLT-24D/1XI-ML-2-13



TE Part # CJ0364-068
POLT-24D/1XI-ML-4-13



TE Part # CL0718-072
POLT-24D/1XI-ML-2-13




TE Part # CJ0364-014
POLT-24D/1XI-ML-4-13



TE Part # CL0718-070
POLT-24D/1XI-ML-2-13

Also in the Series | RAYCHEM POLT




Power Cable Terminations(290)

Customers Also Bought



TE Part #177049-011
SXSU-4141



TE Part #CM0009-015
RSTI-5851



TE Part #CJ8105-070
POLT-12D/1XI-ML-2-13



TE Part #D67995-000
BOW-OCP2-12S-NFF



TE Part #CF6279-014
POLT-12D/1XI-ML-4-13



TE Part #E05386-015
POLJ-12/3X120-240



TE Part #892434-013
RICS-5143



TE Part #E05386-014
POLJ-12/3X120-240



Documents

Product Drawings

POLT-24D/1XI-ML-2-17

English

Datasheets & Catalog Pages

POLT-1CORE-TERMINATION-PLASTIC-CABLES

English